


# The roof over our home is GREENCOR




## Metal Roofing Sheets (350 sq.ft)



**Original roof laying and total replacement cost over 40 years - 1,70,270 (for a 350 sq.ft. Structure)**

(Life of less than 10 years) which results in changing the roof every 10 years. The cost of changing the roof every year has been calculated with an inflation rate of 3% every year.




## About RIL

Ramco Industries Limited, a well known and reputed manufacturer of fibre cement sheets since 1967, has a name that is synonymous with quality and durability. With a production capacity of 8,00,000 mt of fibre cement products being churned out from its 12 hi-tech factories across India and Sri Lanka, Ramco products are widely available through its extensive network of over 8000 dealers.

Ramco Industries Limited is a brand leader in its market space and is a part of the Ramco Group, a conglomerate with diversified business interests having an annual turn over of over US\$ 1 billion.



## Ramco Greencor (350 sq.ft)



**Original roof laying cost over 40 years - Rs.11,326 (for a 350 sq.ft. structure)**

The above cost has been worked on the durability of Ramco Greencor (Life of over 40 years) over Metal roofing sheets

### The Stamp of Strength

Fully automated manufacturing process gives added strength to the fibre cement sheets.

Ensures 100% accuracy at every stage - mixing, forming, cutting, corrugating and stacking.

### The Stamp of Durability

Made with high impact PVA/Polypropylene fibres with eight times the strength of steel.

Resists fire, rot, rust, vermin, brittle fractures and alkali attacks.

Strengthens with age.

### The Stamp of Consistency

The automated process completely eliminates manual errors.

Sheet after sheet, the quality remains consistently good.

- Rust proof Corrosion resistant
- Extremely safe because fibre cement is an insulator and not a conductor like metal roof
- Calm and quiet environment
- Keeps Internal temperature 5°C cooler than other roofs
- Excellent load bearing strength
- Better living environment because it has low thermal conductivity
- Zero maintenance
- Unaffected by lightning and live power wires
- 5 times more durable than metal roofs
- Excellent breathability and dimensional stability





When  
heat  
soars

**stay Indoors**

It's 5°C cooler than Metal Roofs



When  
thunder  
roars

**go Indoors**


You're 100% safe from Lightning Strikes.

**Rain or Shine**  
Greencor is fine






### Cool Inside



### Long Life




### Minimal Noise



### Rust Proof



### Lightning Proof



### Superior Strength





### Fire Resistant




### Corrosion Resistant



### Leak Proof



## Detail of side Lap Ramco Greencor Sheet



Dimensional Data	
Thickness (nominal)	6.00 mm
Overall width	1.05 m
Laid width	1.01 m
Cover efficiency (Allowing for side and end laps with 3 m sheet)	91%
Actual cover of 3 m sheet as laid	2.88 sq.m.
100 sq.m. laid area requires of sheeting (Allowing for loss by side end laps with 3 m sheets)	109.43 sq.m
100 sq.m. laid area requires of sheeting (Allowing for loss by side end laps with 1.5 m sheets)	115.51 sq.m
100 sq.m. laid area with other sizes between 1.5 m and 3 m sheets requires sheeting	Between 115.51 sq.m. & 109.43 sq.m.
Weight of 100 sq.m. as laid for 3 m	1.42 M. Tonnes
Standard lengths	1.5, 1.75, 2.0, 2.25, 2.5, 2.75 & 3.0 m
Purlin spacing	1.4 m (max)
Spacing of rails for side cladding	1.7 m (max)
Horizontal lap	150 mm
Colour available	Natural Grey / Blue / Green / Terracotta

© Copyright 2023 Ramco Industries Limited. All rights reserved. Information given is to the best of our knowledge and belief, accurate and reliable as of the date compiled. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

As our policy of continuous improvement, we reserve the right to modify our specifications any time without notice. Product colours and texture may vary due to climatic conditions or due to limitations in the brochure printing process. Please check the latest version on the website or contact your local Ramco Industries representative.



**Ramco Industries Limited**

Auras Corporate Centre,  
98-A, Dr. Radhakrishnan Salai, Mylapore, Chennai - 600 004.  
+91 44 4298 3109 / 91767 75882 info@ril.co.in  
www.ramcogreencor.com

